



面板安装型 USB2.0转接器/线

Panel Mounting Type
USB2.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: $-25^{\circ}\text{C} \sim +55^{\circ}\text{C}$ (无冰冻)
Operating Temperature: $-25^{\circ}\text{C} \sim +55^{\circ}\text{C}$ (NO Freezing)
- 面板开孔尺寸: $\Phi 22\text{mm}$
Pane Cutout: $\Phi 22\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 30\text{MB/s}$
Transmission Rate: $\geq 30\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)


型号/Model : USB-01



型号/Model : USB-01-BK



产品描述 : USB2.0 头部A型母/尾部A型母
Product Description: USB2.0 HEAD FEMALE A/BACK FEMALE A




型号/Model : USB-02



型号/Model : USB-02-BK



产品描述 : USB2.0 头部A型母/尾部B型母
Product Description: USB2.0 HEAD FEMALE A/BACK FEMALE B




型号/Model : USB-03



型号/Model : USB-03-BK



产品描述 : USB2.0 头部B型母/尾部A型母
Product Description: USB2.0 HEAD FEMALE B/BACK FEMALE A




型号/Model : USB-04



型号/Model : USB-04-BK



产品描述 : USB2.0 头部B型母/尾部B型母
Product Description: USB2.0 HEAD FEMALE B/BACK FEMALE B





面板安装型 USB2.0转接器/线

Panel Mounting Type
USB2.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C ~ +55°C(无冰冻)
Operating Temperature: -25°C ~ +55°C(NO Freezing)
- 面板开孔尺寸: $\Phi 22\text{mm}$
Pane Cutout: $\Phi 22\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 30\text{MB/s}$
Transmission Rate: $\geq 30\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)


型号/Model : USB-05



型号/Model : USB-05-BK



产品描述: 带灯USB2.0 头部A型母/尾部A型公
Product Description: Illuminated USB2.0 HEAD FEMALE A/BACK MALE A
线长: 60cm
Wire Length : 60cm




型号/Model : USB-06



型号/Model : USB-06-BK



产品描述: 双层USB2.0 头部A型母/尾部A型公
Product Description: Double USB2.0 HEAD FEMALE A/BACK MALE A
线长: 60cm
Wire Length : 60cm




型号/Model : USB-07



型号/Model : USB-07-BK



产品描述: 双层USB2.0 头部A型母/尾部A型母
Product Description: Double USB2.0 HEAD FEMALE A/BACK FEMALE A




型号/Model : USB-19



型号/Model : USB-19-BK



产品描述: USB2.0 A型母/A型公
Product Description: USB2.0 FEMALE A/MALE A
线长: 60cm
Wire Length : 60cm





面板安装型 USB3.0转接器/线

Panel Mounting Type
USB3.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C ~ +55°C(无冰冻)
Operating Temperature: -25°C ~ +55°C(NO Freezing)
- 面板开孔尺寸: $\Phi 22\text{mm}$
Pane Cutout: $\Phi 22\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 100\text{MB/s}$
Transmission Rate: $\geq 100\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)


型号/Model : USB-08



型号/Model : USB-08-BK



产品描述 : USB3.0 头部A型母/尾部A型母
Product Description: USB3.0 HEAD FEMALE A/BACK FEMALE A




型号/Model : USB-09



型号/Model : USB-09-BK



产品描述 : USB3.0 头部A型母/尾部B型母
Product Description: USB3.0 HEAD FEMALE A/BACK FEMALE B




型号/Model : USB-10



型号/Model : USB-10-BK



产品描述 : USB3.0 头部B型母/尾部A型母
Product Description: USB3.0 HEAD FEMALE B/BACK FEMALE A





面板安装型 USB3.0转接器/线

Panel Mounting Type
USB3.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C ~ +55°C(无冰冻)
Operating Temperature: -25°C ~ +55°C(NO Freezing)
- 面板开孔尺寸: $\Phi 22,25\text{mm}$
Pane Cutout: $\Phi 22,25\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 100\text{MB/s}$
Transmission Rate: $\geq 100\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)


型号/Model : USB-12



型号/Model : USB-12-BK



产品描述 : USB3.0 头部A型母/尾部A型公
Product Description: USB3.0 HEAD FEMALE A/BACK MALE A
线长 : 60cm
Wire Length : 60cm




型号/Model : USB-13



型号/Model : USB-13-BK



产品描述 : 双层USB3.0 头部A型母/尾部A型公
Product Description: Double USB3.0 HEAD FEMALE A/BACK MALE A
线长 : 60cm
Wire Length : 60cm




型号/Model : USB-14



型号/Model : USB-14-BK



产品描述 : 双层USB3.0 头部A型母/尾部A型母
Product Description: Double USB3.0 HEAD FEMALE A/BACK FEMALE A





面板安装型 USB3.1转USB-C转接器

Panel Mounting Type
USB3.1 to USB-C Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C ~ +55°C(无冰冻)
Operating Temperature: -25°C ~ +55°C(NO Freezing)
- 面板开孔尺寸: $\Phi 22,25\text{mm}$
Pane Cutout: $\Phi 22,25\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 100\text{MB/s}$
Transmission Rate: $\geq 100\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)

型号/Model : USB-17



型号/Model : USB-17-BK




产品描述 : 带灯USB3.1 头部A型母/尾部C型公

Product Description: Illuminated USB3.1 HEAD FEMALE A/BACK MALE C

线长 : 60cm

Wire Length : 60cm



型号/Model : USB-18




型号/Model : USB-18-BK



产品描述 : USB3.1 头部A型母/尾部C型公

Product Description: USB3.1 HEAD FEMALE A/BACK MALE C





面板安装型 其它转接器/线


Panel Mounting Type
USB2.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C~ +55°C(无冰冻)
Operating Temperature: -25°C~ +55°C(NO Freezing)
- 面板开孔尺寸: Φ22mm
Pane Cutout: Φ22mm
- 面板厚度: 1~10mm
Panel Thickness: 1~10mm
- 操作环境湿度: 45~85%RH(无结露)
Operating Humidity: 45~85%RH(NO Condensation)

型号/Model : STEREO-02

型号/Model : STEREO-02-BK


线长 : 60cm
Wire Length : 60cm



型号/Model : RJ45-01


型号/Model : RJ45-01-BK

线长 : 60cm
Wire Length : 60cm



型号/Model : RJ45-02


型号/Model : RJ45-02-BK



型号/Model : Protective 01

型号/Model : Protective 02

保护罩01用于USB-05 与 USB-05-BK
Protective 01 only for USB-05 and USB-05-BK Version
保护罩02用于USB-05 与 USB-05-BK以外的Φ22mm产品
Protective 02 for Φ22mm diameter products except USB-05 and USB-05-BK



保护罩01 Protective 01

保护罩02 Protective 02



面板安装型 微型USB2.0转接器/线


Panel Mounting Type
Micro USB2.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C ~ +55°C(无冰冻)
Operating Temperature: -25°C ~ +55°C(NO Freezing)
- 面板开孔尺寸: $\Phi 22\text{mm}$
Pane Cutout: $\Phi 22\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 30\text{MB/s}$
Transmission Rate: $\geq 30\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)

型号/Model : Micro USB-01

型号/Model : Micro USB-01-BK


产品描述 : Micro USB2.0 B型母/B型公
Product Description: Micro USB2.0 FEMALE B/ MALE B



型号/Model : Micro USB-02

型号/Model : Micro USB-02-BK


产品描述 : Micro USB2.0 2×B型母/B型公
Product Description: Micro USB2.0 2×FEMALE B/ MALE B
线长 : 60cm
Wire Length : 60cm



型号/Model : Micro USB-03

型号/Model : Micro USB-03-BK

产品描述 : Micro USB2.0 2×B型母/B型公
Product Description: Micro USB2.0 2×FEMALE B/ MALE B





面板安装型 迷你USB2.0转接器/线

Panel Mounting Type
Mini USB2.0 Connector

- 金属外壳采用铝合金材质，有黑白两色可选，其他颜色可定制。
Metal crust made of Aluminium Alloy, have black and white for your choose, other color can be customized.
- 使用螺母固定，安装简便。
Fixed by nut, easy to install.
- 操作环境温度: -25°C ~ +55°C(无冰冻)
Operating Temperature: -25°C ~ +55°C(NO Freezing)
- 面板开孔尺寸: $\Phi 22\text{mm}$
Pane Cutout: $\Phi 22\text{mm}$
- 面板厚度: 1 ~ 10mm
Panel Thickness: 1 ~ 10mm
- 传输速率: $\geq 30\text{MB/s}$
Transmission Rate: $\geq 30\text{MB/s}$
- 操作环境湿度: 45 ~ 85%RH(无结露)
Operating Humidity: 45 ~ 85%RH(NO Condensation)


型号/Model : Mini USB-01



型号/Model : Mini USB-01-BK



产品描述 : Mini USB2.0 B型母/B型公
Product Description: Mini USB2.0 FEMALE B/ MALE B



型号/Model : Mini USB-04



型号/Model : Mini USB-04-BK



产品描述 : Mini USB2.0 2×B型母/B型公
Product Description: Mini USB2.0 2×FEMALE B/ MALE B

